




100



**FIG.1**



```
for(int i=0; i<total; i++) {  
    SparseMatrixRow smr = t.getData(i);  
    dictionIndex = smr.positions;  
    cat=getCat(i, granularity);  
    categoryPos = ((Integer)categoryHash.get(cat)).intValue();  
    categoryCount[categoryPos]++;  
    for(int j=0; j<dictionIndex.length; j++) {  
        variablePos = dictionIndex[j];  
        counter[variablePos][categoryPos]++;  
        variableCount[variablePos]++;  
    }  
}
```

**FIG.2**



Example	Dictionary Term	Category	Count
16	requested	Install Request	1
16	reset	Lotus Notes	1
16	afs	AIX	1
16	password	VM	3
17	www	AFS	1
17	release	Refresh	1
18	adsm	ADSM	1
18	password	VM	4

**FIG.3**



```
Vector v = new Vector ();

for(int i=0; i<variableSize; i++) {
    for(int j=0; j<categorySize; j++) {
        //if the expected number of combinations within a given cluster and data is less than the
        actual
            if((categoryCount[ j ] * variableCount [ i ])/total < counter [ i ] [ j ] ) {
                //do Chi function
                probability [ i ] [ j ] = ChiSquared.prob(total, categoryCount [ j ], variableCount [
                i ], counter [ i ] [ j ]);
            }
            //if the expected number of combinations within a given cluster and date is more than the
            actual
                else{
                    probability [ i ] [ j ] = 1.0;
                }
                if (probability [ i ] [ j ] < probabilityThresh && counter[ i ] [ j ] >
                    confidenceThresh){
                    v.addElement(new EventMarker(variableName [ i ], category [ j ], probability [ i ] [
                    j ], variableCount [ i ],
                    }
                }
            }
```

**FIG.4**



Keywords	Category	Probability	Keyword Count	Category Count	Keyword + Cate
62 command	AIX	0.0000	170	452	102
63 wordpro	Smartsuite (L...	0.0000	22	50	11
64 customized	Printing	0.0000	125	955	125
65 page	Refresh	0.0000	228	31	28
66 unable	Printing	0.0000	334	955	228
67 install-customz...	Printing	0.0000	122	955	122
68 autopxy	Netscape	0.0000	15	77	11
69 password-dce	AFS	0.0000	52	266	39
70 connect-network	Networking	0.0000	64	299	46
71 jobs	Printing	0.0000	121	955	119
72 reset-adsm	ADSM	0.0000	9	94	9
73 connect	Networking	0.0000	262	289	98
74 page-dce	AFS	0.0000	34	266	30
75 rebuilt	Install Request	0.0000	19	109	14
76 p340ua	Printing	0.0000	113	955	111
77 ign	Remote Access	0.0000	40	61	15
78 smart	Smartsuite (L...	0.0000	11	50	7
79 print-successfully	Printing	0.0000	104	955	104
80 password-afs	AFS	0.0000	46	268	34
81 softlist	AFS	0.0000	53	452	48
82 web page	AFS	0.0000	102	268	52

FIG.5





FIG.6



**FIG.7**



The image shows a screenshot of a software dialog box with a standard Windows-style title bar (minimize, maximize, close buttons). The dialog box contains the following settings:

- Data Groups**: ☐ Class Discovery ☒ Dictionary Term Discovery
- Time Granularity**: ☒ Monthly ☐ Weekly ☐ Daily
- Probability Threshold**: ☐ .05 ☒ .01 ☐ .001
- Confidence Threshold**: ☐ 2 ☒ 5 ☐ 10

At the bottom of the dialog box are two buttons: "start" and "cancel".

**FIG.8**





```
category/Hash = new Hashtable ();  
int position = 0;  
    Object obj = getCat(i, granularity);  
  
    if (categoryHash.get(obj) == null) {  
        categoryHash.put(obj, new Integer (position));  
        position ++;  
    }  
}  
  
Enumeration e = categoryHash.keys();  
while (e.hasMoreElements()) {  
    Object oo = e.nextElement();  
    Integer z = (Integer)categoryHash.get(oo);  
    category[z.intValue()] = oo;  
}
```

**FIG.9**



```
for(int i=0; i<total; i++){
    if (discovery.equals("class") ) {
        variablePos = t.membership[i];
        variableCount[variablePos] ++;
        cat = getCat(i, granularity);
        categoryPos = ((Integer)categoryHash.get(cat)).intValue();
        counter[variablePos][categoryPos] ++;
        categoryCount[categoryPos] ++;
    }
    if (discover.equals("dictionary") ) {
        SparseMatrixRow smr = t.getData(i);
        dictionIndex = smr.positions;
        cat = getCat (i, granularity);
        categoryPos = ((Integer)cagegoryHash.get(cat)).intValue();
        categoryCount[categoryPos] ++;

        for(int j=0; j <dictionIndex.length; j++){
            variablePos = dictionIndex[j];
            counter[variablePos][categoryPos] ++;
            variableCount[variablePos] ++;
        }
    }
}
```

**FIG.10**



Example#	Keyword	Date (weekly)	Counter
12	info	Sun Jan 11 00:00:00 PST 1998	1
12	log	Sun Jan 11 00:00:00 PST 1998	1
12	access	Sun Jan 11 00:00:00 PST 1998	1
12	home	Sun Jan 11 00:00:00 PST 1998	1
12	home	Sun Jan 11 00:00:00 PST 1998	1
13	process	Sun Jan 11 00:00:00 PST 1998	1
13	load	Sun Jan 11 00:00:00 PST 1998	1
13	lost	Sun Jan 11 00:00:00 PST 1998	1
13	explorer	Sun Jan 11 00:00:00 PST 1998	1
13	info	Sun Jan 11 00:00:00 PST 1998	2
13	disk	Sun Jan 11 00:00:00 PST 1998	2
14	ip	Sun Jan 11 00:00:00 PST 1998	1
14	getting	Sun Jan 11 00:00:00 PST 1998	1
14	system	Sun Jan 11 00:00:00 PST 1998	4
14	work	Sun Jan 11 00:00:00 PST 1998	2
14	working	Sun Jan 11 00:00:00 PST 1998	2

**FIG.11**



```
1. Vector v = new Vector();
2. for(int i = 0; i < variableSize; i++) {
3.     //if the expected number of examples within a given cluster and date is less than
the actual
4.     if((categoryCount[ j ] * variableCount[ i ])/total < counter[ i ][ j ]
   ){
5.         //do Chi function
6.         probability[ i ][ j ] = chi.prob(total, categoryCount[ j ], variableCount[ i ],
counter[ i ][ j ]);
       }
       }
       //if the expected number of examples within a given cluster and date is more than the
actual else{
7.         probability[ i ][ j ] = 1.0;
       }
       if(probability[ i ][ j ] < probabilityThresh && counter[ i ][ j ] > confidenceThresh) {
8.         v.addElement(new EventMarker(variableName[ i ], category[ j ], probability[ i ][ j ],
variableCount [i], categoryCount[j], counter[i][j]
));
       }
       }
       }
```

FIG.12



```
public class EventMarker{
```

```
    String variable = null;  
    Object category = null;  
    double probability = 0;  
    int totalVariable;  
    int totalCat;  
    int total;
```

```
    public EventMarker(String variableID, Object categoryID, double probID, int  
totalVariableID, int totalCatID, int total_____
```

```
        variable = variableID;  
        category = categoryID;  
        probability = probID;  
        totalCat = totalCatID;  
        total = totalID;
```

```
    }
```

```
}
```

**FIG.13**



	Keywords	Date	Probability	Keyword Count	Category Count	Keyword + Date
1	newtext	Feb 1998	0.0000	38	557	37
2	visiblesolution	Feb 1998	0.0000	38	557	37
3	solution	Feb 1998	0.0000	64	557	37
4	project	Jun 1998	0.0000	30	674	23
5	pay	Mar 1998	0.0000	21	738	18
6	refresh	Jun 1998	0.0000	65	674	30
7	callup	Mar 1998	0.0000	56	738	28
8	elimination	Jul 1998	0.0000	24	586	15
9	bringing	Jun 1998	0.0000	15	674	12
10	chapelaine	Jun 1998	0.0000	11	674	10
11	hernandez	Dec 1998	0.0000	20	358	10
12	setpasswd	Jan 1998	0.0000	36	471	16
13	named	Jan 1998	0.0000	36	471	16
14	netdoor	Jun 1998	0.0000	90	674	34
15	arcprt02	Jul 1998	0.0000	51	586	22
16	d03nm041	May 1998	0.0000	81	483	26
17	p3116h2a	Oct 1998	0.0000	20	534	12
18	arcprt03	Sep 1998	0.0000	20	455	11
19	base	Mar 1998	0.0000	33	738	19
20	rebecca	Dec 1998	0.0000	66	358	19
21	rebecca	Dec 1998	0.0000	65	358	19

FIG.14




FIG.15





FIG.16





U.S. Patent Application Serial No.: 09/837,158  
Art Unit No. 2176  
Replacement Sheet



**FIG.17**